











EXHIBIT C

US Patent US RE41,685		Mipow BTL- 400-BK Playbulb
10. A light source		The Mipow BTL-400-BK Playbulb garden - RGB color LED light is a light source.
comprising: an optical cavity;		The opaque plastic dome creates an optical cavity.
a plurality of first light-emitting diodes each of which is a phosphor light- emitting diode that emits white light,		The bulb has 3 white LEDs. Each white LED is a phosphor LED that emits white light.

<p><i>each first light-emitting diode comprising a diode encased in a light-transmitting package;</i></p>		<p>Each first LED is encased in a light trasmittig package.</p>
<p><i>a plurality of second light-emitting diodes each of which emits non-white light, each second light-emitting diode comprising a diode encased in a light-transmitting package;</i></p>		<p>Each bulb has three non-white LEDs.</p> <p>Each non-white LED is encased in a light transmitting package.</p>
<p><i>wherein the first and second light-emitting diodes are arranged to emit light into the optical cavity such that mixing of spectral outputs from the first and second light-emitting diodes occurs in the optical cavity.</i></p>		<p>The white, red, green, and blue LEDs are arranged geometrically to mix the light spectral outputs within the optical cavity.</p>

<p>11. A light source of claim 10, further comprising at least one third light-emitting diode having a spectral output different from those of the first and second light-emitting diodes.</p>	 <p>A microscopic view of an LED package. A callout bubble with a purple border points to a small, square, yellowish component labeled 'Green LED'. The package is labeled 'RGB3' and 'G R B'. Other components visible include resistors labeled R45, R6, R7, R8, R9, R18, R29, R30, R31, and a component labeled 'D6'.</p>	<p>Each bulb has a third LED (green) that has a spectral output different than the first (white) and second (red) LED's.</p>
<p>12. A light source of claim 11, wherein the spectral output of the second light-emitting diodes is a red output.</p>	 <p>A microscopic view of an LED package. A callout bubble with a purple border points to a small, square, yellowish component labeled 'Red LED'. The package is labeled 'RGB3' and 'G R B'. Other components visible include resistors labeled R45, R6, R7, R8, R9, R18, R29, R30, R31, and a component labeled 'D6'.</p>	<p>Each bulb second non-white (red) LED encased in a light transmitting package.</p>
<p>13. A light source of claim 11, wherein the spectral output of the third light-emitting diode is a green output.</p>	 <p>A microscopic view of an LED package. A callout bubble with a purple border points to a small, square, yellowish component labeled 'Green LED'. The package is labeled 'RGB3' and 'G R B'. Other components visible include resistors labeled R45, R6, R7, R8, R9, R18, R29, R30, R31, and a component labeled 'D6'.</p>	<p>Each bulb has a third (green) LED encased in a light transmitting package.</p>

14. A light source of claim 13, further comprising at least one fourth light-emitting diode having a blue output.



Each bulb has a fourth (blue) LED encased in a light transmitting package.